

BlueDot

Coffee within everyone's reach



ESPRESSO

AVERAGE DAILY PRODUCTION

100 cups

COLOURS



Black



White

TECHNICAL DATA

Dimensions (WxHxD)	368x585x550 mm
Weight	25 kg
User interface	6 buttons + 4,3" TFT screen
Spout clearance	80 - 170 mm
Bean hopper capacity	0,6 kg
Instant canisters	0,7 l
Coffee boiler capacity	0,6 l
Steam boiler capacity	Thermoblock
Group capacity	7 ÷ 10 g (CARIbrew M) 9 ÷ 16 g (CARIbrew L)
Communication protocol	MDB
Voltage	220 - 240 V 50/60 Hz
Others	Premium Grinder, Water Jolly

LAYOUT

1 Bean + 3 Solubles + Black + CARlbrew L

Cod: MS206-E0M00128 € 3.800,00

2 Beans + 2 Solubles + Black + CARlbrew L

Cod: MS206-E0M00129 € 3.920,00

1 Bean + 3 Solubles + Fresh Milk + Black + CARlbrew L

Cod: MS206-E1M00177 € 4.560,00

2 Beans + 2 Solubles + Fresh Milk + Black + CARlbrew L

Cod: MS206-E1M00178 € 4.790,00

All layouts include: Premium Grinder, Water Jolly

OPTIONAL

Cup Sensor € 55,00

KIT

Direct Coffee Discharge

Cod: 04.05147 € 30,00

Maxi Hopper - Coffee 1,2 kg (x1)

Cod: 01.06400 € 55,00

Maxi Hopper - Solubles 1,5/3 l (x1)

Cod: 01.06401/01.06595 € 65,00/75,00

CARIpure (Water filter 100 l)

Cod: 95.05205 € 22,00

CARlcare Pack (WIFI board + 6 years license)

Cod: 04.05198 € 450,00

RFID Board

Cod: 04.05215 € 85,00

ACCESSORIES

MAIN



Fridge-C DGT



Fridge-S



Cup Warmer CW-S

OTHERS

Fridge-C
Fridge-S DGT (digital temperature)
CARlbase
Payment System Box

Sales conditions

Delivery time 6/8 weeks
Gross prices;
Terms of sales: prices are subjected to adjustment without notice
Incoterms FCA (Chignolo d'Isola)
The price does not include VAT

Carimali S.p.A.

Via Industriale, 1 - 24040 Chignolo d'Isola (BG) - Italy
T. +39 035 4949555 | sales@carimali.com
carimali.com

BlueDot Plus

Coffee in one touch



ESPRESSO

AVERAGE DAILY PRODUCTION

100 cups

COLOURS



Black



White

TECHNICAL DATA

Dimensions (WxHxD)	368x585x550 mm
Weight	25 kg
User interface	7" touch screen
Spout clearance	80 - 170 mm
Bean hopper capacity	0,6 kg
Instant canisters	0,7 l
Coffee boiler capacity	0,6 l
Steam boiler capacity	Thermoblock
Group capacity	7 ÷ 10 g (CARIbrew M) 9 ÷ 16 g (CARIbrew L)
Communication protocol	MDB
Voltage	220 - 240 V 50/60 Hz
Others	Premium Grinder, Water Jolly, Aroma Diffusion, MaxSave Energy Saving, WIFI board